

## Retail Food Establishment Inspection Report

## Floyd County Health Department Telephone:812-948-4726 X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

	4.3.7		Tolock on North or	Date of Ins	nortion DEDBATE 4	
Establishm Hertz		LLC DBA Rally's #319	Telephone Number 8/2-944-3670	(mm/dd/yr		
Establishm	ent Addres	s (number and street, city, state, zip code)	502-266-5325	8-2:	-19   133	
Owner		1 1	Purpose:	Follow-up	p Release Date	
U	ve 1	lertzman	1. Routine	NO	Today	
Ossumania A	l dunag	1 11 11 DI Louisville, Ky	2. Follow-up	Summary of Violations:		
		ne15401116 KV 40207	3. Complaint	1 7	2 2	
Person in C	narge	Nick Fox	4. Pre-Operational	Ç	$^{\prime}$ NC $^{\prime}$ R	
Responsible	e Person's l	E-mail	5. Temporary 6. HACCP	Мепи Тур	ne (See back of page)	
C-46-IF	· · · · · · · · · · · · · · · · · · ·		7. Other (list)	١	3 1/4 5	
Certified F	Manag	FOX 4-17-20		12_	3 <u>_V_45</u>	
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"						
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"						
Section#	C/NC	R Narrative			To Be Corrected By	
		- FCHD recieved complaint about	t a dead insect	<i>‡</i>		
:		on Single Service Cup				
- Could not confirm Est was freeted for insects 7-30-19.						
344	C	Observed blocked handwashing by chili meat corrected				
		that was cooling	7 01471		COTT - CT C - C	
129	C	Observed employer starting shift & putting corrected				
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		on gloves before washing hands Retrain Statt				
415	C	Observed Mice dropping in area above restroom				
		where single scruice items are stored. Today				
177	NC					
	in Storage shed.					
431	431 NC Observed storage shed to have scattered 2 days					
dirt debiis & cigarte butts on ground.						
	-All violations will be checked with upcoming routine inspection.					
	upcoming routine inspection -					
					• •	
Received by (name and title printed):  Thomas Snider, EHS						
Received by (signature):						
Thomas of						
cc:						
		;,		1		